

ACID SANITIZER FOR SURFACE SANITATION

| ACTIVE INGREDIENT: | |
|--|--------|
| Dodecylbenzenesulfonic Acid | 15.0% |
| Phosphoric Acid | 50.0% |
| Inert Ingredients | 35.0% |
| Total | 100.0% |
| Phosphate content by weight percent as expressed as %P | 15.8% |

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Escherichia coli (ATCC 43888) and Staphylococcus aureus (ATCC 6538). Call a Poison Control Center or doctor for treatment advice. If Swallowed: Call a Poison STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage and Control Center or doctor immediately for treatment advice. Have person sip a glass of disposal. PESTICIDE STORAGE: Store in a well ventilated area away for

lave the product container or label with you when alling to Poison Control Center or a doctor, or going or treatment. You may also contact 1-800-535-5053

ficate the use of gastric lavage.



Sold by: Five Star Chemicals & Supply Inc. • 4915 E.52nd Ave., Commerce City, CO 80022 (303) 287-0186 • www.fivestarchemicals.com

porcelain. PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals DANGER: Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear, clothing and rubber gloves. Harmful if swallowed or absorbed through skin or inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. **PHYSICAL AND CHEMICAL HAZARDS:** Do not use or store near heat or open flame. Do not mix STAR SAN ACID SANITIZER with Chlorine Sanitizers or Chlorinated Cleaners. A harmful gas is formed. **DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For use as sanitizer in food processing locations, dairies, restaurants and bars. For sanitizing food processing equipment, dairy equipment, brewery equipment, food utensils, dishes, glasses, silverware, sink tops, countertops, refrigerated storage and display equipment toilet seats. Directions: Remove all gross and son by pre-rustri or pre-scrape and, when ruce-scary, presour. Their triordoughly wash or flush objects with a good detergent or compatible cleaner followed by a potable water rinse before applications of the sanitizing solution. Prepare a use dilution of 10 cStaft saA ndd Sanitizer(/S gallons of tap water, Apply on surface with a cloth, mop, sponge, spray or by immersion. For spray applications use a coarse mist, pump or trigger sprayer. Spray 6 to 8 inches from surface, rub with a brush, cloth or a sponge. With spray applications cover or remove all food products. For all applications, allow to air dry (but surface must remain wet for one minute), do not rinse after If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Call a application. STAR SAN ACID SANITIZER provides 300 ppm, of bodecytlenzenesulfonic acid when applied at the listed dilution rate. On Poison Control Center or doctor for treatment advice. If on Skin or Clothing: Take off pre-cleaned food contact surfaces STAR SAN ACID SANITIZER is effective against

water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control

sparks, electrical equipment and other ignition sources. PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray Center or doctor. Do not give anything to an unconscious person. If inhaled: Move person instruce or instruce or assets are acture; janguages in a violation of Federal law. If these wastes cannot be disposed of by to fresh air. If person is not breathing call 911 or an ambulance, then give artificial use according to label instructions, contact your State Pesticide or Environmental respiration, preferably mouth-to-mouth, if possible, Call a Poison Control Center or doctor for treatment advice CONTAINER DISPOSAL: Nonrefillable Container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available or place in trash.

> For additional information, consult your representative or the Safety Data Sheet (SDS). EPA Reg. 65001-1 EPA Est. 65001-CO-001 INFOTRAC: 1-800-535-5053



an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing call 911 or an

ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible, Call a Poison Control Center or doctor for treatment advice

Have the product container or label with you when calling to Poison Control Center or a doctor, or going for treatment. You may also contact 1-800-535-5053 for energency treatment information.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage.

Sold by: Five Star Chemicals & Supply Inc. •
4915E 52nd Ave, Commerce City, CO 80022
(303) 287-0186 • www.fivestarchemicals.com

General Precautions and Restrictions Do not use on cutting boards, or unglazed porcelain.

PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals DANGER: Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on dorbing. Wear portective eyewear, dorbing and rubber gloves. Harmfulf is svallowed or absorbed through skin or inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling, Remove contaminated dorbing and wash before reuse. PRISICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame. Do not mix STARS ANA LOSS MATUREZ with Chiorine Santizes or Chrionites did Cleanses. A harmful gas is formed. DIRECTIONS FOR USE: It is violation of Federal law to use this product in a manner inconsistent with the John. Extra as a capitary in food processing location, delies restaurants. harmful gas is formed. DIRECTIONS FOR USE: it is a violation of Federal law to use this product in a manner inconsistent with its labeling. For use as sanitizer in food processing locations, dairle, restaurants and bars. For sanitizing lood processing equipment, dairy equipment, browery equipment, food utersils, dishes, glasses, silvenvare, sink tops, countertops, refrigerated storage and display equipment tollet seats. Directions: Removal glaross debits from surface before dealing. Prior to application, remove gross food particles and soil by pre-from surface before dealing. Prior to application, remove gross food particles and soil by pre-from surface before dealing. Prior to application, remove gross food particles and soil by pre-from surface to the surface from surface and soil pre-from surface to the surface from surface to the surface from surface and soil products. Apply on surface with a cloth, morp, songe, surgar or by immersion. For spray applications can consecute the surface from surface, unb with a brist, cloth or a sponge. With spray applications cover or remove all food products. For all applications, sollow to air dry lbut surface must remain well or one minutel, do not intrea after applications. STAR SAN ACID SANTIZER provides 300 ppm, of dode cybercenesulfortic acid and 780 ppm of topshorict acid when applied at the listed dilution rate. On pre-claimed food contact surfaces STAR SAN ACID SANTIZER is effective against scherichia coil (ACIC 43888) and Saphylococcus aureus (ACIC 6538).

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in a well ventilated area away from heat, flame, sparks, electrical equipment and other ignition sources. PESTICIDE DISPOSAL: Pestide wastes are acutely hazardous. Improper disposal of fexes, pestides, spary mixture or rinsate is a violation of federal law. If three wastes cannot be disposal of excess pestidide, spary mixture or rinsate is a violation of federal law. If three wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Nonefibilities Container: Claen container promptly after emptying. Triple rins as so follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to dirp. If the container 14 fell with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to dirp. Repeat this procedure two more times. Offer for recycling if available or place in track. recycling if available or place in trash.

For additional information, EPA Reg. No. 65001-1 consult your representative EPA Est. No. 65001-CO-001 or the Safety Data Sheet (SDS). INFOTRAC: 1-800-535-5053



ACID SANITIZER FOR SURFACE SANITATION

ACTIVE INGREDIENT: Dodecylbenzenesulfonic Acid 50.0% Phosphoric Acid INERT INGREDIENTS..... 35.0% 100.0% 15.8% Phosphate content by weight percent as expressed as %P. 6.5 gm/oz. Phosphate content expressed as grams P per ounce

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Rémove contact lenses, if present, after first 5 minutes. Then continue rinsing. Call a Poison Control Center or doctor for treatment advice

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing

call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible, Call a Poison Control Center or doctor for treatment advice.

NET 16 oz

Have the product container or label with you when calling to Poison Control Center or a doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency treatment information.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage.

Sold by: Five Star Chemicals & Supply Inc. • 4915 E.52nd Ave, Commerce City, CO 80022 (303) 287-0186 · www.fivestarchemicals.com

eneral Precautions and Restrictions Do not use on cutting boards; or unglazed porcelain. PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear, clothing and rubber gloves. Harmful if swallowed or absorbed through skin or inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame. Do not mix STAR SAN ACID SANITIZER with Chlorine Sanitizers or Chlorinated Cleaners. A harmful gas is formed. DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For use as sanitizer in food processing locations, dairies, restaurants and bars. For sanitizing food processing equipment, dairy equipment, brewery equipment, food utensils, dishes, glasses, silverware, sink tops, countertops, refrigerated storage and display equipment toilet seats. Directions: Remove all gross debris from surface before cleaning. Prior to application, remove gross food particles and soil by pre-flush or pre-scrape and, when necessary, presoak. Then thoroughly wash or flush objects with a good detergent or compatible cleaner followed by a potable water rinse before applications of the sanitizing solution. Prepare a use dilution of 1 oz. Star San Acid Sanitizer/5 gallons of tap water. Apply on surface with a cloth, mop, sponge, spray or by immersion. For spray applications use a coarse mist, pump or trigger sprayer. Spray 6 to 8 inches from surface, rub with a brush, cloth or a sponge. With spray applications cover or remove all food products. For all applications, allow to air dry (but surface must remain wet for one minute), do not rinse after

STAR SAN ACID SANITIZER provides 300 ppm, of dodecylbenzenesulfonic acid and 780 ppm of

phosphoric acid when applied at the listed dilution rate.
On pre-cleaned food contact surfaces STAR SAN ACID SANITIZER is effective against Escherichia coli (ATCC 43888) and Staphylococcus aureus (ATCC 6538).

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage and disposal PESTICIDE STORAGE: Store in a well ventilated area away from heat, flame, sparks, electrical equipment and other ignition sources.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide. spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable Container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available or place in trash.

For additional information, consult your represen or the Safety Data Sheet (SDS).

EPA Reg. No. 65001-1 EPA Est. No. 65001-CO-001 INFOTRAC: 1-800-535-5053





ACID SANITIZER FOR SURFACE SANITATION

ACTIVE INGREDIENT:

| Dodecylbenzenesulfonic Acid | 15.0% |
|--|--------|
| Phosphoric Acid | 50.0% |
| INERT INGREDIENTS | 35.0% |
| Total | 100.0% |
| Phosphate content by weight percent as expressed as %P | 15.8% |
| Phosphate content expressed as grams P per ounce | |

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything to an unconscious person.



If Inhaled: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible, Call a Poison Control Center or doctor for treatment advice

Have the product container or label with you when calling to Poison Control Center or a doctor, or going for treatment.
You may also contact 1-800-535-5053 for emergency treatment information.

You may also contact 1-800-535-5053 for emergency treatment information. **NOTE TO PHYSICIAN:**

Probable mucosal damage may contraindicate the use of gastric lavage.

Sold by: Five Star Chemicals & Supply Inc. 4915 52nd Ave. Commerce City, CO 80022 (303) 287-0186 www.fivestarchemicals.com

General Precautions and Restrictions Do not use on cutting boards; or unglazed porcelain. **PRECAUTIONARY STATEMENTS** Hazard to Humans and Domestic Animals

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear, clothing and rubber gloves. Harmful if swallowed or absorbed through skin or inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame. Do not mix STAR SAN ACID SANITIZER with Chlorine Sanitizers or Chlorinated Cleaners. A harmful gas is formed.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For use as sanitizer in food processing locations, dairies, restaurants and bars. For sanitizing food processing equipment, dairy equipment, brewery equipment, food utensils, dishes, glasses, silverware, sink tops, countertops, refrigerated storage and display equipment toilet seats.

Directions: Remove all gross debris from surface before cleaning. Prior to application, remove gross food particles and soil by pre-flush or pre-scrape and, when necessary, presoak. Then thoroughly wash or flush objects with a good detergent or compatible cleaner followed by a potable water rinse before applications of the sanitizing solution. Prepare a use dilution of 1 oz.Star San Acid Sanitizer/5 gallons of tap water. Apply on surface with a cloth, mop, sponge, spray or by immersion. For spray applications use a coarse mist, pump or trigger sprayer. Spray 6 to 8 inches from surface, rub with a brush, cloth or a sponge. With spray applications cover or remove all food products. For all applications, allow to air dry (but surface must remain wet for one minute), do not rinse after application.

STAR SAN ACID SANITIZER provides 300 ppm, of dodecylbenzenesulfonic acid and 780 ppm of phosphoric acid when applied at the listed dilution rate.

On pre-cleaned food contact surfaces STAR SAN ACID SANITIZER is effective against Escherichia coli (ATCC 43888) and Staphylococcus aureus (ATCC 6538).

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage and disposal. **PESTICIDE STORAGE:** Store in a well ventilated area away from heat, flame, sparks, electrical equipment and other ignition sources.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable Container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available or place in trash.

For additional information, consult your representative or the Safety Data Sheet (SDS)

EPA Reg. No. 65001-1 EPA Est. 65001-CO-001 INFOTRAC: 1-800-535-5053



General Precautions and Restrictions: Do not use on cutting boards; or unglazed porcelain.

PRECAUTIONARY STATEMENTS: Hazard to Humans and Domestic Animals

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear, clothing and rubber gloves. Harmful if swallowed or absorbed through skin or inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame. Do not mix STAR SAN ACID SANITIZER with Chlorine Sanitizers or Chlorinated Cleaners. A harmful gas is formed.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For use as sanitizer in food processing locations, dairies, restaurants and bars. For sanitizing food processing equipment, dairy equipment, brewery equipment, food utensils, dishes, glasses, silverware, sink tops, countertops, refrigerated storage and display equipment toilet seats.

Directions: Remove all gross debris from surface before cleaning. Prior to application, remove gross food particles and soil by pre-flush or pre-scrape and, when necessary, presoak. Then thoroughly wash or flush objects with a good detergent or compatible cleaner followed by a potable water rinse before applications of the sanitizing solution. Prepare a use dilution of 1 oz. Star San Acid Sanitizer/5 gallons of tap water. Apply on surface with a cloth, mop, sponge, spray or by immersion. For spray applications use a coarse mist, pump or trigger sprayer. Spray 6 to 8 inches from surface, rub with a brush, cloth or a sponge. With spray applications cover or remove all food products. For all applications, allow to air dry (but surface must remain wet for one minute), do not rinse after application.

STAR SAN ACID SANITIZER provides 300 ppm, of dodecylbenzenesulfonic acid and 780 ppm of phosphoric acid when applied at the listed dilution rate.

On pre-cleaned food contact surfaces STAR SAN ACID SANITIZER is effective against Escherichia coli (ATCC 43888) and Staphylococcus aureus (ATCC 6538).



STAR SAN

ACID SANITIZER FOR SURFACE SANITATION

| ACTIVE INGREDIENTS | |
|--|------------|
| Dodecylbenzenesulfonic Acid | 15.0% |
| Phosphoric Acid | 50.0% |
| INERT INGREDIENTS | 35.0% |
| Total | |
| Phosphate content by weight percent expressed as % P | 15.8% |
| Phosphate content expressed as grams P per ounce | 6.5 gm/oz. |
| | |

KEEP OUT OF REACH OF CHILDREN **DANGER**

| | FIRST AID |
|---------------------------|--|
| If in Eyes | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Call a Poison Control Center or doctor for treatment advice. |
| If on Skin or Clothing | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. |
| If Swallowed | Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything to an unconscious person. |
| If Inhaled | Move person to fresh air If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible, Call a Poison Control Center or doctor for treatment advice |
| Н | ave the product container or label with you when calling to Poison Control Center or a doctor, |

Have the product container or label with you when calling to Poison Control Center or a doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency treatment information.

 ${\tt NOTE\,TO\,PHYSICIAN:}\ Probable\ mucosal\ damage\ may\ contraindicate\ the\ use\ of\ gastric\ lavage.$

Sold by: Five Star Chemicals & Supply Inc. 4915 52nd Ave. Commerce City, CO 80022 (303) 287-0186, www.fivestarchemicals.com

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in a well ventilated area away from heat, flame, sparks, electrical equipment and other ignition sources.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable

Container. Do not reuse or refill this container.
Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal.
Drain for 10 seconds after the flow begins to drip.
Repeat this procedure two more times. Offer for recycling if available or place in trash.

For additional information, consult your representative or the Safety Data Sheet (SDS).

EPA Reg. No. 65001-1 EPA Est. No. 65001-CO-001

INFOTRAC: 1-800-535-5053

